

Refine Search

Search Results -

Terms	Documents
lamp and (high adj voltage) and (prevent\$3 near2 overheat\$3 near2 (lamp or bulb))	24

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L14

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, September 03, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L14</u>	lamp and (high adj voltage) and (prevent\$3 near2 overheat\$3 near2 (lamp or bulb))	24	<u>L14</u>
<u>L13</u>	L12 and inductance and capacitance	30	<u>L13</u>
<u>L12</u>	lamp and (high adj voltage) and (prevent\$3 near2 overheat\$3)	379	<u>L12</u>
<u>L11</u>	overheat\$3 and inductor and capacitor and (bypass\$3 near2 (high adj voltage))	2	<u>L11</u>
<u>L10</u>	L9 and (induct\$4 same capacit\$4)	15	<u>L10</u>
<u>L9</u>	(bypass\$3 near2 (high adj voltage)) and lamp	36	<u>L9</u>
<u>L8</u>	overheat\$3 and (bypass\$3 near2 (high adj voltage)) and lamp	1	<u>L8</u>
<u>L7</u>	(prevent\$3 adj heat\$3) and (bypass\$3 near2 (high adj voltage)) and lamp	0	<u>L7</u>
<u>L6</u>	(prevent\$3 adj overheat\$3) and (bypass\$3 near2 (high adj voltage)) and lamp	0	<u>L6</u>
<u>L5</u>	L2 and (bypass\$3 same (high adj voltage))	0	<u>L5</u>

<u>L4</u>	L2 and (bypass\$3 near2 (high adj voltage))	0	<u>L4</u>
<u>L3</u>	L2 and bypass\$3 and (high adj voltage)	5	<u>L3</u>
<u>L2</u>	(electronic adj ballast) and (prevent\$3 near2 overheat\$3) and lamp	35	<u>L2</u>
<u>L1</u>	(electronic adj ballast) and anti\$overheating and lamp	1	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L23 and (bypass\$3 same (high adj voltage))	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L26

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Friday, September 03, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L26</u>	L23 and (bypass\$3 same (high adj voltage))	0	<u>L26</u>
<u>L25</u>	L23 and (bypass\$3 near2 (high adj voltage))	0	<u>L25</u>
<u>L24</u>	L23 and ballast	9	<u>L24</u>
<u>L23</u>	(high adj voltage) and (prevent\$3 near2 overheat\$3 near2 lamp)	24	<u>L23</u>
<u>L22</u>	(high adj voltage) and anti\$overheat\$3 and lamp	3	<u>L22</u>
<u>L21</u>	L20 and prevent\$3	10	<u>L21</u>
<u>L20</u>	L19 and overheat\$3	10	<u>L20</u>
<u>L19</u>	L18 and (high adj voltage)	160	<u>L19</u>
<u>L18</u>	lamp and induct\$4 and capacit\$4 and (amplif\$4 same bypass\$3)	547	<u>L18</u>
<u>L17</u>	lamp and induct\$4 and capacit\$4 and (instant\$2 adj bypass\$3)	1	<u>L17</u>
<u>L16</u>	L12 and (instant\$2 adj bypass\$3)	0	<u>L16</u>
<u>L15</u>	L14 and bypass\$3	3	<u>L15</u>
	lamp and (high adj voltage) and (prevent\$3 near2 overheat\$3 near2		

<u>L14</u>	(lamp or bulb))	24	<u>L14</u>
<u>L13</u>	L12 and inductance and capacitance	30	<u>L13</u>
<u>L12</u>	lamp and (high adj voltage) and (prevent\$3 near2 overheat\$3)	379	<u>L12</u>
<u>L11</u>	overheat\$3 and inductor and capacitor and (bypass\$3 near2 (high adj voltage))	2	<u>L11</u>
<u>L10</u>	L9 and (induct\$4 same capacit\$4)	15	<u>L10</u>
<u>L9</u>	(bypass\$3 near2 (high adj voltage)) and lamp	36	<u>L9</u>
<u>L8</u>	overheat\$3 and (bypass\$3 near2 (high adj voltage)) and lamp	1	<u>L8</u>
<u>L7</u>	(prevent\$3 adj heat\$3) and (bypass\$3 near2 (high adj voltage)) and lamp	0	<u>L7</u>
<u>L6</u>	(prevent\$3 adj overheat\$3) and (bypass\$3 near2 (high adj voltage)) and lamp	0	<u>L6</u>
<u>L5</u>	L2 and (bypass\$3 same (high adj voltage))	0	<u>L5</u>
<u>L4</u>	L2 and (bypass\$3 near2 (high adj voltage))	0	<u>L4</u>
<u>L3</u>	L2 and bypass\$3 and (high adj voltage)	5	<u>L3</u>
<u>L2</u>	(electronic adj ballast) and (prevent\$3 near2 overheat\$3) and lamp	35	<u>L2</u>
<u>L1</u>	(electronic adj ballast) and anti\$overheating and lamp	1	<u>L1</u>

END OF SEARCH HISTORY